

INDEX MAPS.

T.23N. R.14E. 2nd Mer.

	46		47		47		47		48		48	
50	6	70	5	65	4	61	3	57	2	54	1	46
	70		69		64		61		57		54	
50	7	69	8	64	9	60	10	57	11	53	12	46
	69		68		64		60		56		53	
50	18	68	17	63	16	60	15	56	14	53	13	45
	68		67		63		59		56		52	
49	19	67	20	63	21	59	22	56	23	52	24	45
	67		66		62		59		55		51	
49	30	66	29	62	28	58	27	55	26	51	25	45
	65		65		62		58		55		51	
49	31	65	32	61	33	58	34	54	35	50	36	45
	44		44		43		43		43		43	

T.24N. R.14E. 2nd Mer.

	79		78		78		78		77		77	
80	6	101	5	96	4	92	3	88	2	84	1	76
	101		100		96		92		88		84	
80	7	100	8	96	9	92	10	88	11	84	12	76
	100		99		95		91		87		83	
80	18	99	17	95	16	91	15	87	14	83	13	76
	102		102		94		91		87		83	
79	19	102	20	94	21	90	22	86	23	82	24	75
	99		98		94		90		86		82	
79	30	98	29	94	28	90	27	86	26	82	25	75
	98		97		93		89		85		81	
79	31	97	32	93	33	89	34	85	35	81	36	75
	73		73		73		73		74		74	

Meadow 103

(P The figures on the lines refer to the page.

73

Township 24 North. Range 14 East 2nd Mer. Ind^a.

Ch² 2^d!

South Boundary.

Var. 10⁰ 10⁰ 10⁰

East end. side of Sec 31.

32. 16 a Beech 10 in. diam.

40.00 Set q^r. sec. post. from which
a Beech 10 in. dia. bears S 84⁰ W. 8⁰ 10⁰ dist. X
a Do. 18 " " " N 74⁰ E. 38 " "

59.00 a Brook 10⁰ wide Course N. E.

78.60
80.00 Set post loc. to Sec. 31 & 32, fr. which
a Sugar 9 in. dia. bears N 89⁰ E. 8⁰ 10⁰ dist. X
a Do. 12 " " " N 45⁰ W. 25 " "
Land, Rich. Lim. Beech, Oak & Hickory.

East An S. Side of Sec. 32.

20.00 a Brook 10⁰ wide Course N. E.

40.00 Set q^r. sec. post. from which
a Sugar 8 in. dia. bears N 31⁰ E. 37⁰ 10⁰ dist. X
a Do. 18 " " " S 64⁰ W. 38 " "

68.50 a Brook 10⁰ wide Course N. E.

80.00 Set post loc. to Sec. 32 & 33, from which
an Ash 18 in. dia. bears N 70⁰ E. 27⁰ 10⁰ dist.
a Maple 4 " " " S 21⁰ W. 8 " "
Land, as above.

East An S. Side of Sec. 33.

15.00 a Brook 10⁰ wide Course N. E.

40.00 Set q^r. sec. post. from which
a Wh. Oak 36 in. dia. bears S 63⁰ E. 22⁰ 10⁰ dist. X
a Beech 7 " " " S 55⁰ W. 18 " "

48.56 a Do. 18 " "

80.00 Set post loc. to Sec. 33 & 34 fr. which
a Beech 24 in. dia. bears N 84⁰ W. 19⁰ 10⁰ dist.
a H. Oak 24 " " " S 45⁰ E. 19 " "
Land as last mentioned.

East end. side of Sec. 34.

74 S. 24 N. R. 14 E. 2nd Mer. Ind. a

Ch. 10.

38.63 a Beech 24 in. diam.

40.00 Set gr. Sec. post, from which
a Hickory 12 in. dia. bears N 37 E. 22 lb. &
a Sugar 8 " " " S 30 W. 26 " dit.

74.63 a H. Oak 24 in. diam.

80.00 Set post cor. to Sec. 34 & 35, from which
a Beech 12 in. dia. bears N 82 E. 10 lb. dit.
& a Do. 10 " " " S 67 W. 11 " "
Land, as above.

East on E. side of Sec. 35.

20.50 a Brook 15 lbs. wide course N.E.

39.29 a Beech 24 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears N 58 W. 11 lb. dit. &
a Do. 12 " " " S 48 E. 29 " "

46.80 a Do. 18 " "

47.88 Intersect N. & E. line between Ranges
14 & 15 East at temp. Lower. post &
Set post for cor. of S. 23 N. R. 14 & 15 E.
from which post.
a Sugar 24 in. dia. bears S 50 E. 20 lb. dit.
a Beech 20 " " " N 20 W. 26 " "
70.00 a Brook 15 lbs. wide course N.E.
80.00 Set post cor. to Sec. 35 & 36, from which
a Beech 24 in. dia. bears N 26 W. 29 lb. dit.
& an Ash 6 " " " S 80 W. 32 " "
Land, as above.

East on E. side of Sec. 36.

2.00 an Ash 12 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears S 22 W. 17 lb. dit. &
a Hickory 8 " " " N 22 E. 10 lb. dit.

61.00 a Do. 18 " "

80.00 Set post cor. to Towns. 24 N. R. 14 & 15 East,

T. 24 N. R. 14 E. 2nd Mer. Ind.^a

75

W. P. H.

a Hickory 10 in. dia. bears North, 18 lks. dist. X
a Do. 10 " " " S 55 W. 36 " "
Land, Rich. Timber. Beech, Oak, Hickory, &c.
March 2nd 1820. Surveyed by
John M. C. Donald, Esq.

East Boundary. Var. 5° 30' E.

North On E. side of Sec. 36.

23.30 an Ash 24 in. diam.

40.00 Set gr. Sec. post. from which
a Hickory 20 in. dia. bears S 52 E. 10 lks. dist. X
a Beech 13 " " " S 60 W. 15 " "

54.00 a Hickory 18 " "

80.00 a Branch 5 lks. wide ^{E. N. W.} & set post cor. of
Sec. 25 & 36, from which
a Hickory 12 in. dia. bears S 70 W. 10 lks. dist. X
a Beech 12 " " " N 15 E. 34 " "
Land, level and wet. Timber, Oak,
Beech, Hickory &c.

North On E. side of Sec. 25.

15.48 an Ash 16 in. diam.

39.00 a Creek 40 lks. wide course N. W.

40.00 Set gr. Sec. post. from which
an Ash 13 in. dia. bears S 54 W. 11 lks. dist. X
an Oak 32 " " " N 31 E. 10 " "

80.00 Set post cor. of Sec. 24 & 25, fr. which
a Beech 8 in. dia. bears S 42 E. 21 lks. dist. X
a Sugar 18 " " " N 56 W. 17 " "
Land, as before.

North On E. side of Sec. 24.

19.62 Ash 12 in. diam.

40.00 Set gr. Sec. post. from which
a Hickory 13 in. dia. bears S 6 E. 21 lks. dist. X

76 T. 24 N. R. 14 E. 2nd Mer. Ind.

ch. W. an Ash 24 in. diam. bears N 6 E. 25 lb. dist.
51.25 a Wh. Oak 24 in. diam.
80.00 Set post cor. to Sec. 13 & 24 fr. which
an Oak 18 in. dia. bears S 7 W. 45 lb. dist. &
an Elm 12 " " " S 75 W. 28 " "
Land, as before.

North Cen. E. side of Sec. 13.

21.15 an Oak 30 in. diam.
40.00 Set gr. Set post. from which
a Beech 12 in. dia. bears S 9 E. 16 lb. dist.
a Do. 14 " " " N 8 W. 34 " "
58.10 an Ash 18 in. diam.
80.00 Set post Cor. to Sec. 12 & 13, from wh.
an Elm 14 in. dia. bears S 32 W. 24 lb. dist.
a Do. 8 " " " N 32 E. 16 " "
Land, as before.

North Cen. E. side of Sec. 12.

23.50 a Beech 12 in. diam.
40.00 Set gr. Sec. post. from which
a Beech 14 in. dia. bears S 35 W. 9 lb. dist.
a Sugar 13 " " " N 25 E. 41 " "
56.55 an Ash 18 in. diam.
80.00 Set post cor. to Sec. 1 & 12, fr. wh.
a Beech 12 in. dia. bears S 35 W. 28 lb. dist. &
a Sugar 8 " " " N 35 E. 17 " "
Land, level & thy. Limb. Beech,
Sugar, Oak &c.

North Cen. E. side of Sec. 1.

6.60 a brook 10 lb. wide course E.
20.30 a Sugar 12 in. diam.
40.00 Set gr. Sec. post. from which
a Beech 14 in. dia. S 1 E. 28 lb. dist. &
a Do. 14 " " bears N 30 W. 4 " "

77

T. 24 N. R. 14 E. 2nd Mer. Ind.

ch. 1st M.

- 66.75 a Hickory 20 in. diam.
71.00 a Brook 6 ft. wide course N. W.
80.00 Set post loc. to sec. 34 & 36, & course
of Towns 24 & 25 North Range of 14 & 15
East from which
a Sugar 10 in. dia. bears S 4 W. 9. 1/2 lb. dist. &
a Hickory 12 " " " N 54 W. 12 " "
Land as before mentioned.
March 2nd 1820. Surveyed by
John M. C. Donald, P. S.

North Boundary.

Vermont

- West On S. side of sec. 36. T. 25 N. R. 14 E.
10.00 a Brook 7 ft. wide course N.
21.30 a Hickory 18 in. diam.
40.00 Set q. sec. post, from which
a Hickory 12 in. dia. bears S 56. 10 lb. dist.
a Do. 18 " " " N 54 W. 16 " "
80.00 Set post loc. to sec. 35 & 36, from which
an Oak 8 in. dia. bears S 85 E. 15 lb. dist. &
a Do. 6 " " " S 87 W. 8 " "
Land, level. Dimb. Oak, Hickory Beech.

-
- West On S. side of sec. 35. T. 25 N. R. 14 E.
16.20 a Sugar 20 in. diam.
25.00 To Wabash River 150 ft. wide course N. W.
36.00 To same c. N. W.
40.00 Set q. sec. post, from which
an Ironwood 6 in. dia. bears N 41 W. 16 lb. dist.
a Hickory 13 in. dia. " N 68 E. 29 " dist.
58.90 a Beech 12 " "
77.00 To Wabash River 150 ft. wide course W.
80.00 Set post loc. to sec. 34 & 35, from which
in the creek no bearing trees.
Land same as last mile.

S. 24 N. 16. 14 E. 2nd Mer. and?

Ch. 9/10

West On S. side of Sec 34. T. 25 N. R. 14 E.
 17.00 Left Wabash River course N. W.
 40.00 Set q. Sec. post from which
 a Sugar 12 in. dia. bears S 46 E. 31 lb. dist.
 a Beech 16 " " " N 66 E. 20 " "
 56.30 a Bl. Oak 36 in. diam.
 80.00 Set post cor. to Secs 33 & 34, fr. wh.
 an Elm 22 in. dia. bears N 65 E. 42 lb. dist. X
 a Do. 18 " " " S 50 W. 14 " "
 Land, wet land. Timber, Oak, Ash,
 Elm, Beech &c.

West On S. side of Sec. 33. T. 25 N. R. 14 E.
 7.90 a Beech 14 in. diam.
 40.00 Set q. Sec. post, from which
 a Willow 12 in. dia. bears S 35 W. 6 lb. dist.
 a Do. 10 " " " N 15 W. 33 " "
 59.70 a Beech 12 " "
 80.00 Set post cor. to Secs 32 & 33, fr. which
 a wh. Oak 14 in. dia. bears East 8 lb. dist. X
 a Hickory 11 " " " N 85 W. 30 " "
 Land, same.

West On S. side of Sec. 32. T. 25 N. R. 14 E.
 16.25 a Hickory 12 in. diam.
 38.00 a creek 70 lb. wide course N.
 40.00 Set q. Sec. post, from which
 a Sugar 12 in. dia. bears S 46 E. 30 lb. dist. X
 an Ironwood 3 in. dia. " N 11 E. 4 " "
 54.20 a Maple 10 in. "
 80.00 Set post cor. to Secs 31 & 32, from which
 an Elm 12 in. dia. bears S 21 W. 16 lb. dist. X
 an Ash 12 " " " N 25 E. 20 " "
 Land, wet swampy. Timber, Elm,
 Maple, Ash, Beech &c.

79

T. 24 N. R. 14 E. 2nd Mer. Ind. a

ck. 2nd Mer.
West On N. side of Sec. 21. T. 25 N. R. 14 E.
40.00 Set q. sec. post, from which
a Maple 12 in. dia. bears S 80 E. 30 M. dist.
80.81 Intersect the N & E. line Between R.
13 & 14 East at the corner of Towns.
24 & 25.

Land, Swampy. Ash. Maple &c.
Surveyed in 1819 & 1820, by
John M. Donald, J. S.

West Boundary. Var. 6th E.

North On E. side of Sec. 36. T. 24 N. R. 13 E.
13.50 a Beech 12 in. dia.
40.00 Set q. sec. post, from which
an Ash 12 in. diam. bears S 62 E. 18 M. dist.
a Beech 36 " " " N 86 W. 18 " "
80.00 Set post cor. to Sec. 25 & 36, fr. wh.
a Beech 12 in. dia. bears S 65 W. 7 M. dist. &
a Do. 18 " " " S 75 E. 24 " "
Land, Rich Beech, Sugar, Ash &c.
Mid. sth. of Spruce.

North On E. side of Sec. 25. T. 24 N. R. 13 E.
22.88 an Ash 10 in. diam.
40.00 Set q. sec. post, from which
a Hickory 18 in. dia. bears N 13 E. 27 M. dist.
a Dogwood 8 " " " S 68 E. 30 " "
72.50 a Beech 24 " "
80.00 Set post cor. to Sec. 24 & 25, fr. which
a Beech 8 in. dia. bears S 5 W. 21 M. dist.
a Do. 8 " " " N 22 W. 24 " "
Land same as last.

North On E. side of Sec. 24. T. 24 N. R. 13 E.
50.00 a Branch 15 ft. wide course N. E.

T. 24 N. R. 14 E. 2nd Mer. Ind.
 elev. 400.

- 29.72 a Beech 18 in. diam.
 40.00 Set gn. sec. post, from which
 a Hickory 18 in. dia. bears N 15° 11, 33 W. dist.
 an Ash 12 " " " S 33° W. 14 " "
 50.00 Set post loc. to sec. 13 & 24, fr. which
 a Wh. Oak 12 in. dia bears S 25° E. 6 W. dist.
 an Elm 18 " " " N 23° W. 26 " "
 Land and Timber ~~~

North On E. Side of Sec. 13. T. 24 N. R. 14 E.

- 16.74 a Beech 30 lbs wide Crown 11. N. W.
 32.42 a W. Oak 36 in. diam.
 40.00 Set gn. sec. post, from which
 a Wh. Oak 10 in. diam. bears S 27° W 27 W. dist.
 a Do. 8 " " " N 20° E. 4 " "
 68.64 a Wh. Oak 40 in. diam.
 80.00 Set post loc. to Sec. 12 & 13, fr. which
 a Dogwood 10 in. dia. bears S 38° E. 14 W. dist.
 a Do. 8 " " " N 68° W. 3 " "
 Land, same as before.

North On E. Side of Sec. 12. T. 24 N. R. 14 E.

- 31.00 an Ash 10 in. diam.
 40.00 Set gn. sec. post, from which
 a Beech 18 in. diam. bears S 45° E. 24 W. dist.
 a Do. 12 " " " N 81° W. 14 " "
 52.50 a Do. 12 " "
 80.00 Set post loc. to sec. 1 & 12, fr. wh.
 an Ironwood 8 in. dia. bears South 26 W. dist.
 & a Do. 8 " " " N 16° W. 39 " "
 Land, same as before.

North On E. Side of Sec. 1. T. 24 N. R. 14 E.

- 18.64 a Hickory 18 in. diam.
 40.00 Set gn. sec. post, from which
 a Hickory 18 in. dia. bears N 80° E. 25 W. dist.

T. 24 N. R. 14 E. 2nd Mer. Ind. a
 81.00

Ch. 10?

a Pl. Oak 24 in. dia. bears N 64 W. 12 lb. dist.
 Set post for corner of Towns. 24 & 25.
 N. 14. 13 & 14 E. from which
 an Ash 18 in. dia. bears N 86 E. 30 lb. dist. X
 a Do. 18 " " " S 86 W. 6 " "
 Land, wet. Timb. Ash, &c.
 Surveyed in 1820.

John Mc. Donald, D.S.

Subdivision

Var. 6th E.

North Between Secs. 35 & 36.

18.00 a stream 8 lb. wide course N. E.

21.20 a Sugar 12 in. diam.

40.00 Set q. see post from which
 an Elm 30 in. dia. bears S 78 E. 15 lb. dist.

a Hickory 15 in. dia. " N 78 W. 29 " "

57.00 a stream 8 lb. wide course N. W.

60.79 a Dogwood 4 in. diam.

80.00 Set post cor. to Secs. 25, 26, 35 & 36, fr. wh.

a Sugar 12 in. dia. bears N 62 E. 10 lb. dist. X

a Do. 12 " " " S 24 W. 29 " "

Land flat & wet. Timb. Oak. Hickory.
 Ash, Elm Sugar &c. Mud, gth. Beech
 Spice P. Ash Dogwood & Hickory.

East on Meander between Secs. 25 & 36.

40.00 Set q. see temp. post.

62.42 a Pl. Oak 12 in. diam.

79.85 Intersect. N & S. line or E. bdy. at post.

Land &c. same.

West correct line between Sections 25 & 36.

39.92 Set q. see post. from which

a Hickory 18 in. dia. bears S 22 E. 44 lb. dist. X

a Pl. Oak 24 " " " N 55 E. 33 " "

82 S. 24 N. Sec. 14 E. 2nd Mer. Ind?

Ch. H.

79.85 Sec. cor.

North Between Sections 25 & 26.

20.50 a hickory wood 5 in. diam.

40.00 Set gr. support, from which
a Beech 12 in. dia. bears N 75 E, 25 lb. dist. &
a Dogwood 4 in. " " S 21 W, 15 " "

47.50 a stream 8 lb. wide course E.

61.81 a Beech 15 in. diam.

72.50 a stream 30 lb. wide course N.W.

76.50 Crossed same " N.E.

79.50 Do. Do " N.W.

80.00 Set post cor. to Sec? 23, 24, 25, 26, from which
a wh. Oak 20 in. dia. bears S 40 W, 23 lb. dist.
a Do. 12 " " " N 76 E, 18 " "
Land &c. same.

East On Ground between Sec? 24 & 25.

20.25 a Hickory 15 in. diam.

40.00 Set temp. gr. support.

60.40 a W. Oak 12 in. diam.

79.78 Intersected E. boundy. 140 lb. S. of post.
Land &c. same.

West Correct line between Sec? 24 & 25.

19.38 a Dogwood 4 in. diam.

39.89 Set gr. support, from which
a wh. Oak 18 in. dia. bears N 30 E, 23 lb. dist. &
a Br. Oak 12 " " " S 24 W, 37 " "

59.78 a W. Oak 18 " "

79.78 Sec. cor.

North Between Sections 23 & 24.

20.34 a Beech 12 in. diam.

40.00 Set gr. support, from which
a Br. Oak 20 in. diam. bears N 67 E, 20 lb. dist.

S. 24 N. R. 14 E. 2nd Mer. Ind^a 83

Ch. 20^a a Locust 10 in. dia. bears S 67 W, 5th dist.
60.10 a Sugar 12 " "
80.00 Set post cor. to sec. 13, 14, 23 & 24 fr. wh.
a Beech 10 in. dia. bears N 57 E, 20th dist.
a Do. 8 " " " S 49 W, 16 " "
Land &c. same.

East on Random between sec. 13 & 24.
20.00 a Wh. Ash 18 in. diam.
40.00 Set temp. q. sec. post.
60.50 a Beech 16 in. diam.
79.25 Intersect E. boundary, 90th dist. of post.
Land &c. the same.

West correct line between sec. 13 & 24.
19.20 a Beech 14 in. diam.
39.62 set q. sec. post from which
a B. Oak 15 in. dia. bears S 45 E, 25th dist.
a Hickory 18 " " " North, 16 " "
79.25 sec. cor.

North Between Sections 13 & 12.
20.10 a Beech 15 in. diam.
40.00 Set q. sec. post from which
a Beech 15 in. dia. bears S 48 E, 32th dist.
a Do. 8 " " " N 10 W, 18 " "
60.00 a Bl. Ash 18 in. diam.
80.00 Set post cor. to sec. 11, 12, 13 & 14, fr. which
a Beech 15 in. dia. bears S 33 W, 8th dist. &
a Do. 12 " " " S 43 E, 8 " "
Land and Timber same.

East on Random between Sections 12 & 13.
15.65 a Hickory 6 in. diam.
15.00 a stream & low water course W.
40.00 Set Temp. q. sec. post.

S. 24. V. 14. E. 2nd Mer. Ind. a

Ch. 70.

59.50 a H. Oak 10 in. dia.

79.00 Intersect E. boundary 50 lb. S. of post.
Land &c. nearly the same.

West Correct line between Sec. 12 & 13.

39.50 Set q. sec. post. from which
a Beech 12 in. dia. bears S 35 E. 40 lb. dist. X
a Do. 8 " " " N 35 E. 18 " "

79.00 Sec. cor.

North Between Sec. 11 & 12.

20.00 a Hickory 14 in. diam.

15.00 a stream 8 lb. wide course N.W.

40.00 Set q. sec. post. from which
a Beech 12 in. dia. bears S 11 E. 18 lb. dist. X
a Do. 14 " " " S 74 W. 12 " "

60.30 a Do. 12 " "

80.00 Set post. onto Sec. 1, 2, 11 & 12, from which
a H. Oak 13 in. dia. bears N 88 W. 27 lb.
a Do. 12 " " " S 88 E. 31 lb. dist.
Land &c. same. Dec. 1822.

East On Meridian between Sec. 1 & 12.

20.10 a Beech 12 in. diam.

40.00 set temp. q. sec. post.

60.27 a Sugar 6 in. diam.

79.80 Intersect E. boundary 100 lb. S. of post.
Land &c. the same.

West Correct line Between Sec. 1 & 12.

19.53 a Sugar 12 in. diam.

39.90 set q. sec. post. from which
a Beech 14 in. dia. bears S 27 E. 17 lb. dist. X
a Sugar 18 " " " N 11 E. 21 " "

79.80 Sec. cor.

North Between Sec. 1 & 12.

T. 24 N. R. 14 E. 2nd Mer. Ind.

W. W.

- 21.13 a Beech 18 in. diam.
 40.00 Set q. sec. post. from which
 a Hickory 15 in. dia. bears N 30 E. 25 lb. dist.
 a Do. 16 " " " N 80 W. 14 " "
 60.45 a Beech 15 " "
 80.85 Intersect N. Boundary 60 lb. E. of post.
 & Set post cor. to sec. 1 & 2, fr. wh.
 a Br. Oak 30 in. dia. bears S 59 W. 8 lb. dist.
 a Do. 44 " " " S 60 E. 11 " "
 Land &c, the same.

North Between Sections 34 & 35.

- 20.00 a Wh. Oak 4 in. diam.
 40.00 Set q. sec. post. from which
 a Hickory 10 in. dia. bears N 89 E. 19 lb. dist.
 a Do. 18 " " " N 63 W. 23 " "
 51.50 a Stream 10 lb. wide course N. W.
 59.70 a Hickory 15 in. diam.
 60.00 a Stream 8 lb. wide course W.
 80.00 Set post. cor. to sec. 26, 27, 34 & 35, -
 an Elm 18 in. dia. bears S 46 E. 4 lb. dist.
 a Beech 12 " " " N 46 W. 36 " "
 Land, flat & wet. Limb. as before
 mentioned and. 8th. Do.

East On Random Between Sec. 26 & 35.

- 19.19 a Sugar 12 in. diam.
 40.00 Set q. sec. post. from which (Temp.)
 an 8 lb. 16 in. diam.
 80.00 Intersect N. & E. line of post.
 Land &c, same.

West Correct line Between Sec. 26 & 35.

- 40.00 Set q. sec. post. from which
 a Sugar 10 in. dia. S 48 E. 12 lb. dist. &
 a Beech 13 " " " N 54 W. 15 " "
 80.00 Sec. cor.

86 S. 24 N. R. 14 E. 2nd Mer. Ind. a

Ch. W. North Between Sec. 26 & 27.
 20.33 an Elm 14 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 12 in. dia. bears N 65 E. 20 lb. dist.
 a Do. 12 " " " N 65 W. 39 " "
 60.00 a Hickory 12 in. diam.
 80.00 Set post cor. to sec. 22, 23, 26 & 27.
 a Beech 14 in. dia. bears S 26 W. 18 lb. dist.
 a Do. 6 " " " N 8 W. 5 " "
 Land, Rolling. Timb. &c. Same.

East On Random between Sec. 23 & 26.
 6.20 a stream 8 lb. wide course N.
 20.25 a Wh. Alb 8 in. diam.
 40.00 Set temp. gr. sec. post.
 60.00 a Wh. Alb 20 in. diam.
 71.00 Timber lost a stream 30 lb. wide ^{C. N.}
 80 90 Intersect N & E. line at post.
 Land & Timb. same as last mile.

West Corrupt line Between sec. 23 & 26.
 40.45 Set gr. sec. post. from which
 a Dogwood 4 in. dia. bears S 22 W. 10 lb. dist.
 a Dogwood 4 " " " N 50 W. 12 " "
 80.90 Sec. cor.

North Between Sec. 22 & 23.
 20.00 a Beech 4 in. diam.
 30.50 a Stream 8 lb. wide course E.
 40.00 Set gr. sec. post. from which
 a Beech 16 in. dia. bears S 20 E. 19 lb. dist. &
 a Do. 12 " " " N 60 W. 45 " "
 60.60 a Beech 20 in. diam.
 80.00 Set post cor. to sec. 14, 15, 22 & 23, fr. wh.
 a Hickory 12 in. diam. bears S 43 E. 4 lb. dist.
 a B. Oak 18 " " " N 43 W. 27 " "

Sy 24 N. 1/4 E. 2nd Mer. Ind. a 87
Ch. Eff.

Land, level. Dimt. &c, the same.

East an Random between Sec. 14 & 23.

20.00 a Beech 10 in. dia.

31.50 Dimt. lost Creek Course N.

40.00 Set temp. cy. sec. post.

60.00 a W. Oak 36 in. diam.

80.00 Intersect N & S. line at post.

Land & Dimt. same.

West Correct line between Sec. 14 & 23.

40.00 Set cy. sec. post, from which
a Sugar 18 in. dia. bears N 66 E. 30 lb. dist. &
a Beech 20 " " " S 66 W. 38 " "

80.00 Sec. cor.

North Between Sections 14 & 15.

19.50 an Ironwood 8 in. diam.

40.00 Set cy. sec. post, from which
a Hickory 14 in. dia. bears N 27 W. 30 lb. &
a Beech 18 " " " N 11 E. 20 " dist.

76.10 Timber lost, Creek Course S. W.

60.00 a Wh. Oak 6 in. diam.

80.00 Set post loc to Sec. 10, 11, 14 & 15, from wh.
a Wh. Oak 12 in. dia. bears S 66 W. 14 lb. dist.
a Do. 16 " " " N 13 E. 20 " "

Land &c, same.

East an Random between Sec. 11 & 14.

20.00 a Wh. Oak 4 in. diam.

40.00 Set temp. cy. sec. post.

60.23 a Wh. Oak 36 in. diam.

81.10 Intersect N & S. line at post.

Land &c, the same.

West Correct line between Secs. 11 & 14.

S. 24 N. R. 14 E. 2nd Mer. Ind. a

Alt. Hk.

40.55 Set gr. sec. post from which
a Wh. Oak 40 in. dia. bears N 41 W. 25th dist.
a Hickory 15 " " " N 1 E. 29 " dist.
81.10 Sec. loc.

North Between Sect. 10 & 11.

20.00 a Beech 14 in. diam.
40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears S 58 E. 4th dist.
a Do. 12 " " " S 49 W. 14 " "
60.00 an Elm 36 " "
80.00 Set post, loc. to Sect. 2, 3, 10, 11, fr. wh.
a Hickory 10 in. dia. bears S 79 E. 7th dist.
a W. Oak 24 " " " S 76 W. 17 " "
Land &c. nearly the same.

East On Random between Sect. 2 & 11.

20.25 a Beech 12 in. diam.
40.00 Set temp. gr. sec. post.
60.00 a Wh. Oak 4 in. diam.
" " a stream 10 ft. wide course N.
81.00 Intersect N. & S. line 40 ft. N. of post.
Land &c. same.

West Locust line between Sect. 2 & 11.

21.00 an Iron wood 14 in. diam.
40.50 Set gr. sec. post, from which
a W. Oak 36 in. dia. bears S 25 E. 9th dist.
a Beech 12 " " " N 23 E. 25 " "
81.00 Sec. loc.

North Between Sections 2 & 3.

21.10 a Hickory 20 in. diam.
40.00 a Bl. Ash 6 in. dia. for gr. sec. post, fr. wh.
a Bl. — 6 " " bears E 24 E. 23th dist. X
a Bl. — 5 " " " N 24 W. 10 " "

S. 24 N. Sec. 14 E. 2nd Mer. Sect. ⁸⁹

66. 1/2
79.85 To the South Bank of the Wabash River and set a post, from which
a Sugar 10 in. dia. bears S 45 E. 13 1/2 dist.
a Dogwood " " " N 45 W 4 " "
Dist. North across the River 175.
81.60 Intersect the N. Boundary 20 1/2 E. of
post & set post cor. to Sec. 2 & 3, fr. wh.
a Hackberry 22 in. dia. bears S 88 W. 13 1/2
a Hickory " " " S 88 E. 19 " dist.
Land & Limb. nearly same.

- North Between Sections 33 & 34.
19.20 a stream 8 1/2 ft. wide course N. E.
20.70 a Beech 12 in. diam.
40.00 Set gr. sec. post, from which
a Sugar 12 in. dia. bears S 36 W. 26 1/2 dist.
a Wh. Oak 18 in. dia. " N 36 E. 4 " "
45.70 a stream 10 1/2 ft. wide course N. W.
60.70 a Sugar 10 in. diam.
80.00 Set post cor. to Sec. 27, 28, 33 & 34.
a Hickory 12 in. dia. bears S 43 W. 15 1/2 dist.
a Dogwood 4 " " " N 43 E. 3 " "
Land flat wet as before. Time.
& wind. same as before mentioned.

- East On Meander between Sec. 27 & 34.
20.00 a Beech 14 in. diam.
38.50 a stream 10 1/2 ft. wide course N.
40.00 Set temp. gr. sec. post.
59.57 a Sugar 10 in. diam.
80.00 Intersect N & E. line at post.
Land and Limb. the same.

- West Corner line between Sec. 27 & 34.
40.00 Set gr. sec. post, from which
a Sugar 14 in. dia. bears S 23 W. 19 1/2 dist.

90 S. 24 N. N. 14 E. 2nd Mer. Ind.
 W. W. a Sugar 10 in. dia. bears N 44 E 44 W dist.
 80.00 Sec. loc.

North Between Sections 27 & 28.
 20.45 a Wb. Oak 10 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 10 in. dia. bears S 42 E 42 W dist.
 a Buckeye 4 " " " S 6 E 41, 22 " "
 39.50 a Stream 10 Wb. wide course N. E.
 60.14 a Beech 12 in. diam.
 80.00 Set post loc. to Sec: 21, 22, 27 & 28, from which
 an Elm 12 in. dia. bears S 85 E, 20 W dist.
 a B. Oak 24 " " " N 27 W 11 " "
 Land &c. same.

East On Random between Sec: 27 & 22.
 20.83 a Sugar 8 in. diam.
 40.00 Set temp. gr. sec. post.
 30.00 a Stream 10 Wb. wide course N.
 80.00 Intersect N & S. line 50 Wb. S. of post.
 Land &c. the same.

West Horroet line between Sec: 27 & 22.
 20.00 a Beech 16 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 12 in. dia. bears S 4 E, 9 W dist. &
 a Do. 10 " " " N 21 W, 16 " "
 80.00 Sec. loc.

North Between Sec: 21 & 22.
 20.00 a Beech 12 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 12 in. dia. bears S 15 W, 10 W dist.
 a Do 12 " " " S 48 E, 10 " "
 60.00 a Do. 4 " "
 80.00 Set post loc. to Sec: 15, 16, 21 & 22, from which.

T. 24 N. R. 14 E. 2nd Mer. Ind. 91

Ch. 4th. set post cor. to sec. 15 16, 21 & 22. at 80.00. frash.
a Hickory 12 in. diam. bears N 67 E. 15 1/2 bl. dist.
a B. Oak 4 " " " S 81 W. 5 " "
Land &c, the same.

East on Random Between sec. 22 & 15.

20.00 a Beech 12 in. diam.
40.00 set gr. sec. post. from which (temp.)
60.50 a Bl. Oak 14 in. diam.
81.25 Intersect. N & S. line 20 bl. S. of post.
Land & Timber. Same.

West crossed line Between sec. 22 & 15.

40.12 set gr. sec. post from which
a Beech 12 in. diam. bears S 5 E. 17 1/2 bl. dist.
a Hickory 8 in. " " N 58 E. 10 " "
80.25 Sec. line.

North Between sections 15 & 16.

19.00 a Hickory 8 in. diam.
40.01 set gr. sec. post. from which
a Beech 12 in. diam. bears N 58 E. 30 1/2 bl. dist.
a Do. 10 " " " S 57 W. 9 1/2 bl. dist.
80.00 set post, cor. to sec. 9, 10, 15 & 16, frash.
an Elm 24 in. diam. bears S 69 E. 16 bl. dist.
a B. Oak 6 " " " West, 29 " "
Land, level interspersed with wet
places. Timber &c the same.

East on Random between sec. 10 & 15.

20.00 a Beech 10 in. diam.
40.00 set temp. gr. sec. post.
64.40 a Beech 18 in. diam.
67.50 Limb lost. creek course N.
80.00 Intersect. N & S. line at post.
Land &c, the same.

92 S. 24 N. R. 14 E. 2nd Mer. Ind.?

Ch. Lk.
West correct line between Secs 10 & 15.
~~20.00 a Beech 10 in. diam.~~
~~40.00 Set temp. gr. sec. post.~~
~~64.40 a Beech 18 in. diam.~~
40.00 Set gr. sec. post. from which
a Water Beech 6 in. dia. bears S 5 E. 10 lb.
a Buckeye 10 " " " North 3 lb. dt.
80.00 Sec. loc.

North Between Secs 9 & 10.
22.00 Limberlost creek course W.
24.40 a Buckeye 8 in. diam.
40.00 Set gr. sec. post. from which
a Buckeye 12 in. dia. N 61 W. 24 lb. dt. X
a Wh. Ash 15 " " S 2 E. 24 " "
60.00 a Beech 20 " "
80.00 Set post loc. to Secs 3 & 4, 9 & 10, from wh.
a Beech 14 in. dia. bears N 20 W. 27 lb. dt.
a Bl. Ash 10 " " " S 7 E. 28 " "
Land & Limb. same.

East On Random between Secs 3 & 10.
20.50 a Beech
40.00 Set temp. gr. sec. post. fr
60.25 a Wh. Ash
80.00 Intersect N & S. line 25 lb. S. of post.
Land &c. the same.

West correct line between Secs 3 & 10.
40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 73 W. 23 lb. dt.
a Do. 10 " " " N 3 E. 24 " "
57.00 a Beech 15 in. diam.
80.00 Sec. loc.

North Between Sections 3 & 4.

T. 24 N. R. 14 E. 2nd Mer. Ind. 93

Ch. Lk.

20.00 a Hickory 13 in. diam.
 40.00 Set q. sec. post, from which
 an Ironwood 8 in. dia. bears N 33 E 22 lb.
 a Hickory 16 " " " S 39 W 8 " dt.
 81.00 Intersect N. Boundary at post. &
 Set post loc. to sec. 3 & 4, from wh.
 no bearings given.
 Land ac. same.

North Between Sections 32 & 33.

19.27 a Br. Oak 12 in. diam.
 40.00 Set q. sec. post, from which
 a Hickory 12 in. dia. bears S 48 E 14 lb. dist. &
 a Do. 10 " " " N 40 W 15 " "
 58.55 an Elm 18 " "
 70.00 a stream 5 lb. wide course N. W.
 80.00 Set post loc. to sec. 28, 29, 32 & 33, fr. wh.
 a Beech 12 in. dia. bears East 4 lb. dist. &
 a Hickory 14 " " " West 4 " "
 Land on Tth half mile flat & wet.
 2nd rate rolling Tim. & logs last.

East On Meander Between Sec. 28 & 33.

19.50 a Sugar 12 in. diam.
 40.00 Set temp. q. sec. post.
 53.50 a stream 8 lb. wide course N.
 60.50 a Hickory 18 in. dia.
 80.00 Intersect N & S. line 18 lb. S. of post.
 Land, Rolling 3rd rate Tim. &c. same.

West Correct line Between Sec. 28 & 33.

20.00 a Wh. Ash 6 in. diam.
 40.00 Set q. sec. post, from which
 a Beech 14 in. dia. bears N 64 W 22 lb. dist. &
 a Dogwood 4 " " " S 9 E 8 " "
 80.00 Set loc.

94 S. 24 N. No. 14 E. 2nd Mer. Ind. ^a

Ch. Sp. North Between Secs. 28 & 29.

- 20.00 a Beech 14 in. diam.
40.00 Set gp. sec. post. from which
a Wh. Alb 4 in. diam. bears S 76 E. 10 lb. dt.
a Thorn 12 " " " N 87 W. 15 " "
60.50 a Hickory 18 in. diam.
80.00 Set post loc. to Secs. 20, 21, 28 & 29, fr. wh.
a Maple 12 in. dia. bears S 76 E. 5 lb. dt. &
a Water Beech 4 in. dia. bears S 84 W. 20 lb.
Land and Timber: Same nearly.
-

East on Meridian Between Secs. 21 & 28.

- 20.25 an Elm 40 in. diam.
40.00 Set temp. gp. sec. post.
60.25 a Beech 20 in. diam.
80.40 Intersect the N. & S. line at post.
Land &c, the same.
-

West lowest line Between Secs. 21 & 28.

- 40.20 Set gp. sec. post. from which
a Beech 18 in. dia. bears S 13 E. 36 lb. dt.
a Jo. 18 " " " N 47 W. 28 " "
80.40 Sec. loc.
-

North Between Sections 20 & 21.

- 20.08 a Beech 16 in. diam.
40.00 Set gp. sec. post. from which
an Elm 12 in. dia. bears S 86 W. 30 lb. dt.
a Water Beech 4 in. dia. " S 80 E. 21 " "
61.40 a Hickory 18 in. diam.
80.00 Set post loc. to Secs. 16, 17, 20 & 21, fr. wh.
a White Alb 12 in. dia. bears N 76 E. 13 lb. &
a W. Oak 4 in. dia. " N 76 W. 5 " dt.
Land flat & met Timber &c. same
-

East on Meridian between Secs. 16 & 21.

S. 24 N. R. 14 E. 2nd Mer. Ind. 95

02.25

20.00 a Wh. Ash 4 in. diam.

40.00 Set temp. q. sec. post.

48.50 a Stream 6 ft. wide course N.

80.50 Intersect E. boundary 50 ft. E. of post.
Land & the same.

West correct line between Sec. 16 & 21.

19.50 a Dogwood 6 in. diam.

41.25 Set q. sec. post. from which
a Hickory 18 in. dia. bears N 85 E. 18 ft.
on E. line 5 " " " S 87 W. 8 " "

~ a Wh. Ash 4 in. diam. in the line

80.50 Sec. loc.

North 1 Between Sec. 16 & 17.

19.50 a Stream 5 ft. wide C. W.

20.25 a Wh. Ash 12 in. diam.

40.00 Set q. sec. post. from which
a Sugar 14 in. dia. bears S 22 W. 5 ft. dist.
a Do. 12 " " " N 54 E. 6 " "

60.50 a H. Oak 12 " "

80.00 Set post loc. to Sec. 8, 9, 16 & 17, fr. wh.

a Beech 16 in. dia. bears S 87 E. 37 ft. dist.

a Do 16 " " " N 62 W. 12 " "

Land & Timb. Same.

East On Random Between Sec. 9 & 16.

20.16 a Beech 10 in. dia.

40.00 Set temp. q. sec. post.

45.50 a Stream 6 ft. wide course N.

60.50 a Buckeye 12 in. diam.

81.00 Intersect N & E. line at post.

Land & Timb. Same.

West correct line Between Sec. 9 & 16.

40.50 Set q. sec. post. from which

96 S. 24 N. R. 14 E. 2nd Mer. Ind. &
Ch. Ht.

a Wh. Ash 14 in. diam. bears S 36 W, 15 lb.
a Wh. Oak 10 " " " N 26 E, 6 "
81.00 Sec. cor.

North Between Sect 8 & 9.

20.00 a Sugar 18 in. diam.
40.00 Set gr. sec. post. from which
a Wh. Ash 4 in. dia. bears N 19 E, 10 lb.
a Wh. Ash 4 " " " N 61 W, 8 " dist.
60.00 a Hickory 12 in. diam.
80.00 Set post Cor. to Sect. 4, 5, 8 & 9, fr. wh.
a Hickory 12 in. dia. bears S 81 W, 27 lb. dist.
a Beech 14 " " " S 22 E, 20 " "
Land, rolling. Timber & ind. gth.
the same.

East on Random between Sect. 4 & 9.

20.23 an Ironwood 4 in. diam.
36.50 Limber lost creek course N. W.
39.50 The same course S.
40.00 set temp. gr. sec. post.
46.00 same course N.
60.00 a H. Oak 14 in. diam.
79.75 Intersect N & S. line 50 lb. N. of post.
Land & Timber. same.

West correct line between Sect. 4 & 9.

18.75 a Blue Ash 12 in. diam.
39.87 Set gr. sec. post. from which
an Elm 40 in. dia. bears N 31 E, 95 lb. dist.
79.75 Sec. cor.

North Between Sect. 4 & 5.

11.50 a stream 8 lb. wide course N. E.
19.90 a Hickory 18 in. diam.
40.00 set gr. sec. post. from which

97

S. 24 N. R. 14 E. 2nd Mer. Ind. a

ch! W. a Hickory 10 in. dia. bears S 4 E. 11 lb.
 an Elm 14 " " " N 38 W. 7 " ft.
 43.00 Limber lost creek course N. W.
 60.10 a creek 12 lb. wide course W.
 79.15 Intersect N. Boundary. 175 lb. E. of post.
 & set post loc. to sec. 4 & 5, from which
 a Beech 14 in. dia. bears N 6 E. 11 lb. dist.
 a Hickory 10 " " " West, 20 " "
 Land and Timber same.

North Between Sec. 31 & 32.

20.10 a Beech 14 in. diam.
 40.00 Set gr. sec. post. from which
 a Wh. ash 4 in. dia. bears East, 27 lb. dist. X
 a Beech 14 " " " N 70 W. 12 " "
 60.20 a Wh. ash 5 in. diam.
 80.00 Set post loc. to sec. 29, 30, 31 & 32, -
 a Beech 14 in. dia. bears S 72 W. 25 lb.
 a Hickory 14 " " " N 72 E. 23 " ft.
 Land, Rolling in rate. Timber
 same as last mentioned.

East An Random Between Sec. 29 & 32.

19.75 a Beech 12 in. diam.
 30.00 a stream 6 lb. wide course N.
 40.00 Set temp. gr. sec. post.
 59.78 a cherry 6 in. diam.
 75.00 a stream 8 lb. wide course N.
 80.00 Set post loc. to sec. Intersect E. boundary
 50 lb. S. of post.
 Land &c. the same.

West correct line Between Sec. 29 & 32.

40.00 Set gr. sec. post. from which
 a Blue ash 10 in. dia. bears S 6 E. 33 lb. X
 a Beech 4 " " " N 6 W. 28 " ft.

98 T. 24 N. R. 14 E. 2nd Mer. Ind. &
 Ch. 4th
 80.00 Sec. Cor.

West Between Sections 30 & 31.
 20.28 a Sugar 12 in. diam.
 40.00 Set gr. sec. post. from which
 a Hickory 14 in. dia. bears N 10 E. 10 lb.
 a Beech 14 " " " S 40 W. 31 " ft.
 60.50 a Hickory 24 " "
 78.00 Intersect W. Boundary 125 lb. N. of
 post & set post cor. To sec. 30 & 31.
 a Hickory 18 in. diam. bears S 10 W. 23 lb.
 a Sugar 15 " " " N. 83 E. 25 "
 Land & Timber same.

North Between Sec. 29 & 30.
 20.00 an Elm 40 in. diam.
 40.00 Set gr. sec. post. from which
 a Wh. Ash 10 in. diam. br. S 83 E. 26 lb. ft.
 a Do. 8 " " " N 42 W. 19 " "
 60.00 an Ironwood 4 in. diam.
 80.00 Set post cor. to sec. 19, 29, 29 & 30.
 an Elm 3 in. dia. bears S 60 W. 12 lb. ft.
 a Cherry 3 " " " S 45 E. 14 " "
 37.00 a stream 8 lb. wide course N.W.
 Land &c, same.

East On Meander Between Sec. 20 & 29.
 19.50 An Ironwood 6 in. diam.
 40.00 Set temp. gr. sec. post.
 59.85 a Beech 12 in. diam.
 80.00 Set post cor. To sec. Intersect N. & E.
 line 20 lb. N. of post.
 Land, rolling limb. &c. same.
 with more Oak.

West Corner line Between Sec. 20 & 29.

S. 24 N. N. 14 E. 2nd Mer. Ind. a
ch. 40.

- 40.12 Set q. sec. post from which
a Buckeye 8 in. dia. bes. 24 N. 9 W. dist.
a Dogwood 5 " " " N 1 E 26 " "
80.25 sec. loc.

West Between Sec. 19 & 30.

- 20.00 a Wh. Oak 12 in. diam.
35.00 a stream 10 ft. wide course N.
40.00 Set q. sec. post, from which
a Beech 18 in. dia. bes. N 21 W. 21 W. dist.
a Dogwood 4 in. " " S 4 E. 14 W. dist.
60.10 a Beech 10 " diam.
65.00 a stream 12 ft. wide course N.
79.25 Intersect W. Boundary 45 ft. N. of
post. & set post loc. to sec. 19 & 30.
a Hickory 12 in. diam. bes. S 52 E. 25 W. dist.
a H. Oak 4 " " " S 25 E. 20 W. dist. &
Land &c, the same.

North Between Sec. 19 & 18.

- 10.00 Entered swamp lies N. E. & W.
40.00 Set q. sec. post, from which
an Elm 5 in. dia. bes. N 71 E. 20 W. dist.
a Do. 6 " " " " N 81 W. 4 " dist.
44.00 Crossed swamp
60.10 an Elm 18 in. diam.
80.00 Set post loc. to sec. 7, 8, 17 & 18, fr. wh.
a Wh. Oak 12 in. dia. bes. S 80 E. 39 W. dist.
a Beech 12 " " " " N 45 W. 26 " "
Land, ^{up} flat and wet. Limb. &c same.

East on Random betwⁿ Sec. 8 & 19.

- 19.50 a B. Oak 20 in. diam.
40.00 Set temp. q. sec. post.
60.25 a Beech 12 in. diam.
79.90 Intersect N & S line coll. E. of post.

S. 24 N. 16. 14 E. 2nd " Mer. Ind. &

ch. No.

Land &c, the same.

West Correct line between Sec. 8 & 19.

19.75 an Elm 18 in. diam.

39.95 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S 65 E. 15th dist. X

a Do. 10 " " " N 52 W. 15 " "

79.90 Sec. cor.

West Between Sec. 7 & 18.

20.33 a Wh. Ash 12 in. diam.

40.00 Set gr. Sec. post. from which
a Wh. Ash 20 in. dia. bears S 82 E. 15th dist. X
an Elm " " " N 16 W. 21 " "

60.05 a Beech 12 " "

80.29 Intersect N. Boundary 175th N. of post
& Set post cor. to Sec. 7 & 18. from wh.
a Hickory 16 in. dia. bears N 21 W. 6th dist. X
a Beech 18 " " " S 60 E. 30 " "
Land &c, the same.

North Between Sec. 7 & 8.

20.00 a Beech 14 in. diam.

40.00 Set gr. Sec. post. from which
a Hickory 16 in. dia. bears S 51 W. 4th dist. X
an Elm 14 " " " N 12 E. 4 " "

60.45 a Beech 12 in. diam.

80.00 Set post cor. to Sec. 5, 6, 7 & 8. from wh.
a Beech 6 in. dia. bears N 24 E. 25th dist. X
a Wh. Oak 18 " " " S 21 W. 30 " "

Land &c nearly the same.

East Or Random Between Sec. 5 & 8.

20.45 a Wh. Oak 6 in. diam.

40.00 Set gr. Sec. post. from which (Imp.)

69.00 a stream 8th wide course N.

S. 24 N. N. 14 E. 2nd Mer. Ind^a

101

Ch. Lk.

80.00 another stream & M^d. wide course N.

81.00 Intersect N & S. line 10 M^d. S. of post.

Land &c, the same

West correct line Between Sects 5 & 8.

21.00 a Hickory 16 in. diam.

40.50 Set gr. sec. post. from which
a Hickory 14 in. dia. bears N 14 W. 12 M^d. dist.
a Wh. Oak 14 in. dia. " N 14 E. 12 " "

81.00 Sec. cor.

West Between Sects 6 & 7.

7.00 Entered a Swamp lies N. & S.

11.50 Crossed same.

20.00 a Wh. Oak 36 in. diam.

40.00 Set gr. sec. post. from which
a W. Oak 30 in. dia. bears S 13 E. 25 M^d. dist. X
a Sugar 16 " " " North 50 " "

60.00 a Beech 8 " "

80.00 Intersect W. Boundary 80 M^d. N. of post. &
Set post cor. to Sect. 6 & 7, from which
a Wh. Oak 18 in. dia. bears N 23 E. 25 M^d. dist.
a Do. 24 " " " S 79 E. 54 " "
Land &c, the same.

North Between Sects 5 & 6.

20.25 a Wh. Oak 20 in. dia.

40.00 Set gr. sec. post. from which
an Elm 5 in. dia. bears S 82 E. 23 M^d. dist. X
a Do. 5 " " " N 68 W. 14 " "

50.00 Enter a Swamp course E. & W.

62.00 Crossed the same.

64.60 a W. Oak 20 in. diam.

80.00 Set post cor. to Sect 5 & 6. Intersect N.-
Boundary at post Land &c, the same.

S. 24 N. R. 14 E. 2nd Mer. Ind.?

Ch. Lk.

East on Random Between Sec. 17 & 20.

40.00 set temp. q. sec. post.

80.00 Intersect N. & S. line 30 lbs. E. of post.

Land, flat & wet. Timber, be. same.

West correct line between Sec. 17 & 20.

--- a Blk. Ash 20 in. dia.

40.00 Set q. sec. post, from which

a Bl. Ash 4 in. dia. bears S 86° W. 21 lbs. dist. &

a Hickory 5 " " " N 47° E. 25 " "

80.00 Sec. loc.

West Between Sec. 18 & 19.

20.25 a Beech 10 in. diam.

40.00 Set q. sec. post, from which

a Beech 12 in. dia. bears N 82° E. 7 lbs. dist.

a Do. 10 " " " S 42° W. 21 " "

60.00 a H. Oak 36 in. diam.

75.00 a Stream 10 lbs. wide course N.

80.00 Intersect W. Boundary 45 lbs. N. of post

& set post loc. to Sec. 18 & 19. from wh.

a W. Ash 4 in. dia. bears N 56° W. 15 lbs. dist.

& an Iron wood 4 in. dia. bears S 45° E. 5 " "

Land, or, the same.

North Between Sections 19 & 20.

22.00 a Beech 12 in. diam.

40.00 Set q. sec. post, from which

a Beech 12 in. dia. bears N 48° W. 15 lbs. dist. &

a Do. 24 " " " S 66° E. 50 " "

62.35 a H. Oak 12 in. diam.

80.00 Set post loc. to Sec. 19, 18, 19 & 20. from wh.

a Sugar 6 in. dia. bears S 82° E. 10 lbs. dist. &

a Do. 15 " " " N. 55° W. 40 " "

Land or, the same.

T. 24 N. R. 14 E. 2nd Mer. Ind.^a
 ch. Sk.

Meanders of the Wabash River
 in Township 24 North, Range
 14 East - Across Sec. 2 - Begin-
 ning on the Town line 24 ch. &
 80 ch. W. of the Cor. Between
 Sec. 1 & 2, Thence down the
 River on S. side.

Courses. ch. Sk.

S 65° W 7.90

N 58° W 5.50

To the Boundary.

again crossing a stream 15 ch.
 wide at 4.50. Thence West to
 the River, Thence

S 63° W 3.20

S 88° W 5.00

N 81° W 7.50

N 88° W 14.10

Intersect the N. Boundary again.

This Township is generally flat
 wet land. Soil of all kinds
 common to the country and
 much the same throughout
 the Township.

Surveyed in 1822.

By Price H. Kellogg, D.S.

I certify that the foregoing transcripts
 of the field notes of Township 24
 North in Range 14 East, 2nd Meridian
 in Indiana has been compared with
 the Original in this office and
 found to be correct.

Surveyor General's Office
 Cincinnati, March 14th 1845.

William Johnston
 Sur. Genl.